

PP-W-03

WEATHERPROOF INDUSTRIAL PAGE/PARTY UNIT



DS-195 Issue 02

Thank you for your interest in Ziztel - we are a UK based manufacturer of PAGA and Intercom products. Our systems are mainly designed for use in the Hazardous Oil, Gas and Petrochemical industries.

The PP-W-03 is an industrial handset designed to provide reliable communications in a Page/Party communications application.

Please do not hesitate to contact us for further information on our products we look forward to working with you on a project soon...

ZIZTEL INDUSTRIAL PP-W-03

IP66 certified – suitable for location in severe environmental conditions

All plastic / stainless steel construction – long through life service

Corrosion proof, vandal proof and Ultra Violet light resistant

Single open channel party line with optional selective point-to-point connectivity – private and conference communications

The PP-W-03 weatherproof page party handset provides intelligible two way voice communication for industrial applications.

The unit can be used with CCU100, CCU01 Page/Party bridge or PPX16 Page/Party switch. Where used with a PPX-16 switch a secondary dedicated “push to page” button is specified. A second optional push button can be specified to allow dedicated routine and emergency paging broadcasts when used with PPX-16 applications. The PP-W-03 is available with or without keypad. With key pad fitted the PP-W-03 allows optional selective point-to-point full duplex handset communications *in addition* to conventional Page/Party connectivity.



Unit shown with optional armoured cord



ZIZTEL LIMITED

email: sales@ziztel.com web: www.ziztel.com tel: +44 (0) 115 9202888
mail: 96 Rolleston Drive, Arnold, Nottingham, NG5 7JP United Kingdom

All text, drawings and photography contained within this data sheet are the property of Ziztel Ltd and are subject to copyright. Information may neither be transmitted or copied to third parties without the express written consent of Ziztel Ltd. Ziztel Ltd have a policy of continuous product improvement and contents here in are liable to change without notice.

Technical Specification

Material	Die-cast corrosion proof and vandal resistant alloy enclosure
Weight	5kg
Temperature range	-35°C to +75°C
Microphone	Noise-cancelling
Supply	Phantom powered
Ingress protection	IP66 EMC: EN55022/EN55024/EN50121-3-2: 2006 FCC
Hook switch	Magnetic
Lightening protection	ITU-T K.21
Dimensions	320mm x 205mm x 120mm
Connection	L1 and L2 conductor termination
Colour (standard)	Black



PP-W-03 Page / Party station installed in an AH23 acoustic hood

ZIZTEL LIMITED

email: sales@ziztel.com web: www.ziztel.com tel: +44 (0) 115 9202888
mail: 96 Rolleston Drive, Arnold, Nottingham, NG5 7JP United Kingdom

All text, drawings and photography contained within this data sheet are the property of Ziztel Ltd and are subject to copyright. Information may neither be transmitted or copied to third parties without the express written consent of Ziztel Ltd. Ziztel Ltd have a policy of continuous product improvement and contents here in are liable to change without notice.